# **NATO STANDARD**

# AMedP-1.9

# MINIMUM REQUIREMENTS FOR EMERGENCY MEDICAL SUPPLIES ON BOARD SHIPS

Edition A Version 1 JULY 2015



NORTH ATLANTIC TREATY ORGANIZATION

ALLIED MEDICAL PUBLICATION Published by the NATO STANDARDIZATION OFFICE (NSO) © NATO/OTAN

#### NORTH ATLANTIC TREATY ORGANIZATION (NATO)

#### NATO STANDARDIZATION OFFICE (NSO)

#### NATO LETTER OF PROMULGATION

14 July 2015

1. The enclosed Allied Medical Publication AMedP-1.9, Edition A, Version 1, MINIMUM REQUIREMENTS FOR EMERGENCY MEDICAL SUPPLIES ON BOARD SHIPS, which has been approved by the nations in the Military Committee Medical Standardization Board, is promulgated herewith. The agreement of nations to use this publication is recorded in STANAG 1208.

2. AMedP-1.9, Edition A, Version 1 is effective upon receipt.

3. No part of this publication may be reproduced, stored in a retrieval system, used commercially, adapted, or transmitted in any form or by any means, electronic, mechanical, photo-copying, recording or otherwise, without the prior permission of the publisher. With the exception of commercial sales, this does not apply to member or partner nations, or NATO commands and bodies.

4. This publication shall be handled in accordance with C-M(2002)60.

Edvardas MAZEIKIS Major General, LTUAF Director NATO Standardization Office

# **RESERVED FOR NATIONAL LETTER OF PROMULGATION**

# **RECORD OF RESERVATIONS**

| CHAPTER        | RECORD OF RESERVATION BY NATIONS  |
|----------------|---|
| General        | DNK, FRA, LTU, LVA  |
|                |   |
|                |   |
|                |   |
|                |   |
|                |   |
|                |   |
|                |   |
|                |   |
|                |   |
|                |   |
|                |   |
|                |   |
|                |   |
|                |   |
|                |   |
|                |   |
|                |   |
|                |   |
|                |   |
|                |   |
|                |   |
|                |   |
|                |   |
|                |   |
|                |   |
|                |   |
| promulgation a | ervations listed on this page include only those that were recorded at time of<br>nd may not be complete. Refer to the NATO Standardization Document<br>e complete list of existing reservations. |

# **RECORD OF SPECIFIC RESERVATIONS**

| [nation]     | [detail of reservation]  |
|--------------|--|
| DNK          | The Danish Navy is basically using the same medicine chests as<br>recommended by the Danish Maritime Authority (DMA). DMA is<br>committed to working through the IMO to create globally applicable<br>regulations for international shipping. Danish ships always carry a<br>mandatory medicine chest on board in which the selection of<br>medicine and equipment has been determined by an executive order.<br>DKN navy ships in international operations are therefore using the<br>civilian Medicine chest A as a minimum as recommended by the<br>DMA through IMO. The medicine and equipment on board DKN Navy<br>ships is therefore not necessarily exactly equal, both in quality as well<br>as quantity, to the medicine and equipment listed in Annex A. |
| FRA          | The minimum quantities of medicines held on board French ships may sometimes differ from the minimum quantities described in AMedP-1.9.  |
| LTU          | Lists of emergency medical supply on board ships will be prepared according to warship type and valid national documents.  |
| LVA          | LVA Navy will not use Morphine, Vaseline gauze and Honey for dressing burns.   |
|              |  |
|              |  |
|              |  |
|              |  |
| promulgation | eservations listed on this page include only those that were recorded at time of<br>and may not be complete. Refer to the NATO Standardization Document<br>the complete list of existing reservations.   |

# TABLE OF CONTENTS

| CHAPTER 1 | INTRODUCTION                          | 1-1 |
|-----------|---------------------------------------|-----|
| CHAPTER 2 | CONTENT                               | 2-1 |
| ANNEX A   | INTERNATIONAL MEDICAL GUIDE FOR SHIPS |     |
|           | THIRD EDITION, SHIP'S MEDICINE CHEST  | A-1 |

# CHAPTER 1 INTRODUCTION

This standard defines the essential requirements for emergency medical supplies on board ships.

Participating nations agree that a certain amount of medical supplies on board ships is required in order to provide emergency medical care.

Participating nations agree that interoperability between ships and nations requires a standardized list of emergency medical supplies.

Participating nations agree that ships will carry the medical supplies detailed below.

### CHAPTER 2 CONTENT

#### 2.1 OVERVIEW

Nations are to ensure that emergency medical supplies are readily available on board all navy ships. In order to establish interoperability as well as coherence to civilian standards the minimum requirements for emergency medical supplies on board ships are dictated by the International Medical Guide for Ships, as published by the World Health Organization, in collaboration with the International Labour Organization and the International Maritime Organization<sup>1 2</sup>.

The emergency medical supplies on board navy ships consists of medication and equipment. In quantifying the emergency medical supply of medication on board ships, the International Medical Guide for Ships defines three categories of ships:

| Category A           | Category B                      | Category C  |
|----------------------|---------------------------------|---|
| Ocean-going merchant |                                 | Fishing boats or private<br>craft that are never more<br>than a few days from |
|                      | hours away from a port of call. |   |

In order to be able to apply the civilian standard to navy ships these categories are redefined, using the Maritime Medical Planning Guide (MMPG):

| Category A             | Category B               | Category C             |
|------------------------|--------------------------|------------------------|
| Navy ships operating   | Navy ships operating     | Not applicable to navy |
| outside NATO territory | ships.                   |                        |
| and/or conducting high | conducting low or medium |                        |
| risk operations.       | risk operations.         |                        |

#### 2.2 MEDICATION

The minimum emergency supply of medication on board ships is listed in Annex A (Medicines). If a nation for any reason does not hold a medicine mentioned in this list, it will ensure that a different medicine is available. This medicine shall be equal, both in quality as well as quantity, to the medicine listed in Annex A.

<sup>&</sup>lt;sup>1</sup> International Medical Guide for Ships, Third Edition. World Health Organization 2007.

<sup>&</sup>lt;sup>2</sup> Quantification Addendum: International Medical Guide for ships, 3<sup>rd</sup> edition. World Health Organization 2010.

# 2.3 EQUIPMENT

The minimum emergency supply of medical equipment on board ships is listed in Annex A (Equipment). If a nation for any reason does not hold a piece of equipment mentioned in this list, it will ensure that a different piece of equipment is available. This equipment shall be equal, both in quality as well as quantity, to the equipment listed in Annex B.

# 2.4 CLOSING REMARKS

Approval has been formally granted by the World Health Organization to reproduce parts of the following publications.

- International Medical Guide for Ships, Third edition, 2007.
- Quantification Addendum: International Medical Guide for Ships 3<sup>rd</sup> edition, 2010.

#### International Medical Guide for Ships 3<sup>rd</sup> edition, Ship's Medicine Chest ANNEX A

#### A.1. Medicines

| Name                           | Form <sup>3</sup> | Strength    | Indication <sup>4</sup>         | Quantities per 10 crew <sup>5</sup> |        | Notes  |  |
|--------------------------------|-------------------|-------------|---------------------------------|-------------------------------------|--------|--------|--|
|                                |                   |             |                                 | Α                                   | в      | с      | •  |
| Acetylsalicylic acid           | Tab               | 300 mg      | Pain, fever, blood clots        | 50                                  | 50     | -      |  |
| Aciclovir                      | Tab               | 400 mg      | Herpes simplex/zoster           | 70+                                 | 35+    | -      |  |
| Adrenaline                     | amp               | 1 mg/ml     | Anaphylaxis                     | 10+                                 | 5+     | 5+     |  |
| Amoxicillin/clavulanic<br>acid | Tab               | 875mg/125mg | Infections                      | 20                                  | 10     | -      |  |
| Artemether                     | amp               | 80 mg/ml    | Malaria treatment               | 12+                                 | 12+    | -      |  |
| Artemether+lumefantrine        | Tab               | 20mg/120mg  | Malaria treatment               | 24+                                 | 24+    | -      | Double if crew size >30                      |
| Atropine                       | amp               | 1.2 mg/ml   | MI/organophosphate<br>poisoning | 10+                                 | 5+     | -      | Double quantity if carrying organophosphates |
| Azithromycin                   | Tab               | 500 mg      | Infections                      | 10+                                 | 5+     | -      | Double if crew size >30                      |
| Ceftriaxone                    | amp               | 1 g         | Infections                      | 15                                  | 5+     | -      |  |
| Cetirizine                     | Tab               | 10 mg       | Hayfever/hives/dermatitis       | 30+                                 | 30+    | -      |  |
| Charcoal, activated            | powder            |             | Poisoning                       | 120g+                               | 120g+  | -      |  |
| Ciprofloxacin                  | Tab               | 250 mg      | Infections                      | 20+                                 | 10+    | -      | Double if crew size >30                      |
| Cloves, oil of                 | Liq               |             | Toothache                       | 10 ml                               | 10 ml+ | -      |  |
| Dexamethasone                  | amp               | 4mg/ml      | Severe asthma/anaphylaxis       | 3                                   | 1      | -      |  |
| Diazepam                       | Tab               | 5 mg        | Alcohol withdrawal              | 50+                                 | 20+    | -      |  |
| Docusate with senna            | Tab               | 50mg/8mg    | Constipation                    | 30+                                 | -      | -      |  |
| Doxycycline                    | Tab               | 100 mg      | Infections                      | 10                                  | -      | -      |  |
| Ethanol, hand cleanser         | Gel               | 70%         | Hand cleansing                  | 500ml                               | 500ml+ | 100ml+ |  |
| Ethanol                        | Liq               | 70%         | Disinfect instruments           | 500ml                               | 100ml  | -      |  |
| Fluorescein                    | eye strips        | 1%          | Detect corneal damage           | 20+                                 | 20+    | -      |  |
| Furosemide                     | amp               | 40mg/4ml    | Pulmonary oedema                | 5+                                  | 5+     | -      |  |
| Glucagon                       | amp               | 1 mg        | Hypoglycaemia                   | 1+                                  | 1+     | -      |  |
| Haloperidol                    | amp               | 5mg/ml      | Psychosis/severe agitation      | 5                                   | 5+     | -      |  |
| Hydrocortisone                 | crm               | 1%          | Allergy/inflammatory skin       | 2x30g                               | 1x30g  | -      | One tube per patient                         |

<sup>&</sup>lt;sup>3</sup> amp=ampoule; crm=cream; inh=inhalation; liq-liquid; oint=ointment; tab=tablet

size. The assumed duration of each trip is up to 3-4 weeks

<sup>&</sup>lt;sup>4</sup> AF=atrial fibrillation; HTN=hypertension; MI=myocardial infarcation <sup>5</sup> Category of ships; see main text for definitions; quantities marked with an '+' are suggested quantities irrespective of crew

| Γ                            | 1             |               |   |         |         |         |  |
|------------------------------|---------------|---------------|---|---------|---------|---------|--|
| Ibuprofen                    | tab           | 400 mg        | Inflammation, pain                            | 100     | 50      | 50+     |  |
| Isosorbide dinitrate         | tab           | 5 mg          | Angina/MI                                     | 10      | 10      | 5+      |  |
| Lignocaine                   | amp           | 1%, 5ml       | Suturing/minor surgery                        | 5       | 5       | -       |  |
| Loperamide                   | tab           | 2 mg          | Diarrhoea                                     | 30      | 30      | 10+     |  |
| Mebendazole                  | tab           | 100mg         | Intestinal worms                              | 6+      | 6+      | -       |  |
| Metoprolol                   | tab           | 100 mg        | HTN/AF/Angina/Migraine                        | 60+     | -       | -       |  |
| Metronidazole                | tab           | 500 mg        | Infections                                    | 30+     | 20+     | -       |  |
| Miconazole                   | crm           | 2%            | Fungal skin infections                        | 2x30g   | 1x30g   | -       | Double quantities<br>if females on<br>board  |
| Midazolam                    | amp           | 5mg/ml        | Epileptic fits                                | 10+     | 5+      | -       |  |
| Misoprostol                  | tab           | 200 µg        | Post-partum haemorrhage                       | 3+      | 3+      | -       | Only if females on board   |
| Oral Rehydration<br>Solution | powder        | sachet        | Dehydration due to diarrhoea                  | 15I(75) | 10 (50) | 2l(10)+ | Quantities in<br>brackets are<br>number of sachets<br>based on sachets<br>made up to 200ml |
| Oxymetazoline                | nasal<br>drop | 0.50%         | Nasal obstruction/drain sinuses               | 2       | 1       | -       | One bottle per<br>patient  |
| Morphine                     | amp           | 10mg/ml       | Severe pain                                   | 10      | 10      | -       |  |
| Morphine                     | Liq           | 1mg/ml        | Severe pain in patients able to eat and drink | 100ml+  | 100ml+  | -       |  |
| Naloxone                     | amp           | 0.4mg/ml      | Opiate overdose                               | 10+     | 5+      | -       |  |
| Omeprazole                   | tab           | 20 mg         | Reflux, peptic ulcers                         | 30+     | 30+     | -       |  |
| Ondansetron                  | tab           | 4 mg          | Vomiting, sea-sickness                        | 10      | 10      | 10+     |  |
| Paracetamol                  | tab           | 500 mg        | Pain and fever                                | 100     | 50      | 25      |  |
| Permethrin                   | Lot           | 1%            | Lice  | 200ml+  | 100ml+  | -       | Double if crew size >30  |
| Permethrin                   | Lot           | 5%            | Scabies                                       | 300ml+  | 100ml+  | -       | 100ml per patient  |
| Povidone iodine              | oint          | 10%           | Disinfect skin/wounds                         | 1x25g   | 1x25g   | -       |  |
| Povidone iodine              | Liq           | 10%           | Disinfect skin/wounds                         | 100 ml  | 100 ml  | 100ml+  |  |
| Prednisone                   | Tab           | 25 mg         | Asthma/inflammatory conditions                | 30+     | 30+     | -       |  |
| Salbutamol                   | Inh           | 100µg/dose    | Asthma/bronchitis/emphysema                   | 1       | 1       | -       | One inhaler per patient  |
| Sodium chloride              | Liq           | 0.9%, 1 litre | Fluid replacement                             | 5+      | 1       | -       |  |
| Tetracaine<br>[amethocaine]  | eye drop      | 0.50%         | Eye examination                               | 20+     | 20+     | -       |  |
| Tetracycline                 | eye oint      | 1%            | Minor eye infections                          | 2       | 1       | 1+      |  |
| Vitamin K                    | amp           | 10mg/ml       | Reverse warfarin or similar                   | 2+      | 2+      | -       |  |
| Water for injection          | amp           | 5 ml          | Reconstitute injections                       | 10      | 5+      | -       |  |
| Zidovudine + lamivudine      | Tab           | 300mg/150mg   | Needle-stick injury prophylaxis               | 56+     | 56+     | -       |  |
| Zinc oxide                   | paste/oint    | 20%           | Irritated skin                                | 200g+   | 100g+   | 100g+   | 4x25g or 3x30g<br>tubes per 100g   |

# A.2. Equipment

|   |   | Recommended item   | Quantity per<br>10 crew |
|---|---|--|-------------------------|
| 1 | RESUSCITATION EQUIPMEN  | Т  |                         |
|   | Appliance for the   | Portable oxygen set, complete, containing:   | 1                       |
|   | administration of oxygen  | Oxygen cylinder, 2l/200bar   | 1                       |
|   |   | Spare oxygen cylinder, 2l/200bar   | 1                       |
|   |   | Pressure regulating unit and flow meter with tubes such that ship's industrial oxygen can also be used           | 1                       |
|   |   | Disposable face masks of choice: including simple face mask and non-rebreathing mask                             | 3                       |
|   | Oropharyngeal airway  | Guedel airway (Mayo-tube): sizes medium and large  | 2                       |
|   | Mechanical aspirator  | Manual aspirator to clear upper airway, including 2 catheters  | 1                       |
|   | Bag and mask resuscitator   | Ambubag (or equivalent); supplied with large, medium and small masks   | 1                       |
|   | Cannula for mouth-to-mouth resuscitation  | Brook Airway, Lifeway, pocket face mask or equivalent  | 1                       |
| 2 | DRESSING MATERIAL AND S   | UTURING EQUIPMENT  |                         |
|   | Adhesive dressings  | Assorted wound-plaster or plaster strips, water-resistant  | 200                     |
|   | Sterile gauze compresses  | Sterile gauze compresses, 5x5 cm, sterile  | 100                     |
|   |   | Sterile gauze compresses, 10x10 cm , sterile   | 100                     |
|   | Gauze roll  | ce roll Gauze roll, 5 cm and 90 cm or 60 cm x100 m, non-sterile  |                         |
|   | Gauze dressing with non-adherent gauze dressing, square, 10 cm   adherent surface   Vaseline gauze   Paraffin gauze dressing, 10x10 cm, sterile |  | 100                     |
|   |   |  | 50                      |
|   | Bandage   | Elastic fixation bandage, 4 m x 6 cm   | 3                       |
|   | Sterile compression bandages  | First-aid absorbent gauze-covered cotton pad sewn onto a cotton bandage (ambulance dressing), small/medium/large | 5                       |
|   | Tubular gauze for finger<br>bandage   | Tubular gauze bandage for finger bandage with applicator, 5 m  | 1                       |
|   | Adhesive elastic bandage  | Adhesive elastic bandage, 4 m x 6 cm   | 10                      |
|   | Triangular sling  | Triangular sling   | 5                       |
|   | Sterile sheet for burn victims  | Sterile sheet for burn victims   | 1                       |
|   | Honey for dressing burns  | 1 kg   | 1                       |
|   | Adhesive sutures or zinc oxide bandages   | Adhesive tape, waterproof, skin-friendly, 5 x 1.25 cm  | 10                      |
|   | Q-tips Q-tips (wooden)  |  | 100                     |
|   | Safety pins   | Safety pins (stainless steel) 12 pcs   | 50                      |
|   | Butterfly sutures   | Butterfly sutures, Steristrip® or Leukostrip®, sterile   | 20                      |
|   | Skin adhesive   | 2-octyl cyanoacrylate liquid, 0.5 ml   | 2                       |

|   | Suturing equipment                 | Suture, absorbable with curved non-traumatic needles, 1-0, 3-0 & 4-0 or 5-0                             | 10 each           |
|---|------------------------------------|---|-------------------|
|   | Gloves                             | Disposable examination gloves   | 50                |
|   |                                    | Surgical gloves size 6.5, 7.7, 8.5, sterile, in pairs   | 3 of each<br>size |
| 3 | INSTRUMENTS                        |   |                   |
|   | Disposable scalpels                | Scalpel, sterile, disposable  | 20                |
|   | Stainless-steel instrument box     | Instrument box (stainless steel)  | 1                 |
|   | Scissors                           | Operating scissors, straight (stainless steel)  | 1                 |
|   |                                    | Bandage scissors (stainless steel)  | 1                 |
|   | Forceps                            | Splinter forceps, pointed (stainless steel)   | 3                 |
|   |                                    | Teeth tissue forceps (stainless steel)  | 1                 |
|   | Needle holder                      | Needle holder, Mayo-Hegar, 180 mm, straight   | 1                 |
|   | Haemostatic clamps                 | Haemostatic clamp, Halstead mosquito, 125 mm, stainless steel   | 3                 |
|   | Disposable razors                  | Razor, disposable   | 50                |
| 4 | EXAMINATION AND MONIT              | ORING EQUIPMENT   |                   |
|   | Disposable depressors              | Tongue depressor, disposable  | 100               |
|   | Reactive strips for urine analysis | Reactive strips for urine analysis, blood/glucose/protein/nitrite/leukocytes, 50 paper strips           | 100               |
|   | Microscope slides                  | Microscope slides   | 100               |
|   | Stethoscope                        | Stethoscope   | 1                 |
|   | Aneroid<br>Sphygmomanometer        | Sphygmomanometer (blood pressure set), preferably automatic   | 1                 |
|   | Standard thermometer               | Thermometer, digital if possible  | 1                 |
|   | Rectal thermometer                 | Thermometer, digital if possible  | 1                 |
|   | Hypothermic thermometer            | Thermometer, 32°-34°, digital if possible   | 1                 |
|   | Penlight                           | Penlight + blue cover   | 1                 |
| 5 | EQUIPMENT FOR INJECTIO             | ON, INFUSION, AND CATHETERIZATION   |                   |
|   | Equipment for injection            | Syringes, Luer connection, 2 ml, sterile, disposable  | 50                |
|   |                                    | Syringes, Luer connection, 5 ml, sterile, disposable  | 50                |
|   |                                    | Hypodermic subcutaneous needle, Luer connection, 16 x 0.5mm, sterile, disposable                        | 20                |
|   |                                    | Hypodermic intramuscular needle, Luer connection, 40 x 0.8mm, sterile, disposable                       | 20                |
|   |                                    | Needles, 19G, blunt, "drawing up" type  | 20                |
|   | Equipment for infusion             | Intravenous infusion cannula 16G (1.2 mm) and 22G (0.8 mm, Luer-lock connection, sterile non-recap type | 10 each           |
|   |                                    | Intravenous giving set, Luer-lock connection, sterile   | 3                 |
|   |                                    | Tourniquet, blood-taking type, to be used with intravenous infusion cannula                             | 1                 |
|   | Bladder drainage equipment         | Penile sheath set with condom catheter, tube, and bag   | 2                 |

|   |                             | Short-term urine catheter with soft-eye straight tip Tiemann No.12 and No.16 or equivalent, sterile, individually packed, prelubricated or with additional lignocaine/chlorhexidine lubricant | 2          |
|---|-----------------------------|---|------------|
|   |                             | Urine collection bag and tube   | 2          |
| 6 | GENERAL MEDIC               | CAL AND NURSING EQUIPMENT   | •          |
|   | Eye protection              | Plastic goggles or full-face masks  | 2          |
|   | Plastic apron               | Disposable  | 20         |
|   | Kidney dish                 | Kidney dish, stainless steel, 825 ml  | 2          |
|   | Plastic backed towels       | Towels, plastic backed, absorbent, 600 x 500 mm   | 10         |
|   | Safety box                  | Safety box for sharps disposal, 5 l   | 1          |
|   | Mask                        | Mask, duckbill type, disposable   | 50         |
|   | Tape measure                | Tape measure, vinyl coated, 1.5 m   | 1          |
|   | Draw sheets                 | Draw sheet, plastic 90 x 180 cm   | 2          |
|   | Bedpan                      | Bedpan, stainless steel   | 1          |
|   | Hot-water bottle            | Hot-water bag   | 1          |
|   | Urine bottle                | Urinal, male (plastic)  | 1          |
|   | Ice bag                     | ColdHotpack Maxi  | 1          |
|   | Aluminum foil<br>blanket    | Aluminum foil blanket   | 1          |
|   | Condoms                     | Male condoms  | 100        |
|   | Wash bottle                 | Plastic wash bottle, 250 ml   | 1          |
|   | Plastic bottle              | Bottle, 1 liter, plastic with screw top   | 3          |
|   | Dressing tray               | Stainless steel dressing tray, 300 x 200 x 30 mm  | 1          |
|   | Plastic apron               | Apron, protection, plastic, disposable  | 20         |
|   | Bowl                        | Bowl, stainless steel, 180 ml   | 3          |
|   | Specimen jars               | Jars, plastic, with lids and labels, 100 ml   | 10         |
|   | Plaster-of-Paris<br>bandage | Bandages, POP, 5 cm and 10 cm x 2.7 m   | 12<br>each |
|   | Stockinet                   | Sizes for arm and leg splints, 10 m roll  | 1<br>each  |
|   | Cotton wool                 | Cotton wool roll, 500 g   | 10         |
|   | Alcohol swabs               | 70% alcohol swabs for skin cleansing prior to injection   | 200        |
|   | Nail brush                  | Nail brush  | 1          |
| 7 | IMMOBILIZATION              | AND TRANSPORTATION EQUIPMENT  |            |
|   | Malleable                   | Malleable finger splint   | 1          |
|   | splints                     | Malleable forearm/hand splint   | 1          |

# AMedP-1.9(A)(1)